

ASSEMBLY & INSTALLATION GUIDE

RS72



Contents

ASSEN	MBLY INSTRUCTIONS	3
1	PREPARATION	3
2	ASSEMBLY FASTENER KIT	4
3	INSTALL FASTENER KIT	4
4	REFRIGERANT RESTRAINT BAR ASSEMBLY	5
INSTA	LLATION INSTRUCTONS	5


Required Items

- ☐ 1/2" Nut Driver Bit
- ☐ Cordless Impact Driver

ASSEMBLY INSTRUCTIONS

1 PREPARATION

Unpack components and compare to the Bill of Materials. Ensure that all of the parts are present.





BILL OF MATERIALS

Part Number	Description	Quantity
X-RS-007	Bottle Rack Strap Bar 60"	1
X-RS-006	Bottle Rack Mounting Bracket	2
S104E-BK	Strap, w/Spring Buckle, 1" x 48", Black	5
HK19	Hardware Kit	1

2 ASSEMBLY FASTENER KIT


Quantity	Description	Image	Purpose
4	Carriage Bolt 5/16-18 x 1/2		Fastening Strap Bar
4	Serrated Nut 5/16-18	6	to Mounting Brackets

3 INSTALL FASTENER KIT


Quantity	Description	Image	Purpose
4	Serrated Nut 5/16-18	6	
4	Hex Bolt 5/16-18 x 3/4		Fastening complete unit to desired location in vehicle
4	Flat Washer 5/16	0	

4 REFRIGERANT RESTRAINT BAR ASSEMBLY

- 1. Unmask the protective film from all surfaces of each part.
- 2. Fasten Bottle Rack Bar to Mounting Brackets.
- 3. Install straps onto Rack Strap Bar.







Tools Used:

Cordless Impact Driver 1/2" Nut Driver Bit

Hardware Used:

- **4 x** Carriage Bolt 5/16-18 x 1/2
- **4 x** Serrated Nut 5/16-18

INSTALLATION INSTRUCTONS

Fasten the fully assembled unit securely to a structural frame member, structural wall panel or other secure fastening point that will withstand the forces of vehicular motion and stop/start driving.

You have successfully installed your Bottle Holder Unit! If you have any questions or concerns, please contact us at (888)-796-3430