

ASSEMBLY & INSTALLATION GUIDE

RS86 B-Tank Holder



Contents

ASSEN	ASSEMBLY INSTRUCTIONS				
	PREPARATION				
	INSTALL FASTENER KIT				
INSTAI	LLATION INSTRUCTONS	. 4			


Required Items

- ☐ 1/2" Nut Driver Bit
- ☐ Cordless Impact Driver

ASSEMBLY INSTRUCTIONS

1 PREPARATION

Unpack components and compare to the Bill of Materials. Ensure that all of the parts are present.




BILL OF MATERIALS

Part Number	Description	Quantity
X-RS-008	B Tank Holder, Small, 11-7/8" Long	1
X-RS-010	Hood for Tank Holder, 6-5/8 x 5 x 1-5/8	1
S103E	Strap, w/Spring Buckle, 1" x 36", Red	1
HK21	Hardware Kit	3

2 INSTALL FASTENER KIT

Quantity	Description	Image	Purpose
6	Hex Bolt 5/16-18 x 3/4		
6	Flat Washer 5/16	0	Installing B-Tank Holder
6	Serrated Nut 5/16-18	6)	



Tools Used:

Cordless Impact Driver 1/2" Nut Driver Bit


Hardware Used:

- **6 x** Hex Bolt 5/16-18 x ¾
- 6 x Flat Washer 5/16
- **6 x** Serrated Nut 5/16-18

INSTALLATION INSTRUCTONS

Bolt the tank holder and hood securely to a solid vertical surface at the suggested heights shown.

Recommended Mounting



You have successfully installed your Bottle Holder Unit! If you have any questions or concerns, please contact us at (888)-796-3430